

PCS 7 Unit Code

| Value | Display | Description |
|-------|-----------------|--------------------|
| 1000 | K | Kelvin |
| 1001 | °C | Degrees Celsius |
| 1002 | °F | Degrees Fahrenheit |
| 1003 | °R | Degree Rankine |
| 1004 | rad | Radian |
| 1005 | ° | Degree |
| 1006 | ' | Minute |
| 1007 | " | Second |
| 1008 | gon | Gon |
| 1009 | r | Revolution |
| 1010 | m | Meter |
| 1011 | km | Kilometer |
| 1012 | cm | Centimeter |
| 1013 | mm | Millimeter |
| 1014 | µm | Micrometer |
| 1015 | nm | Nanometer |
| 1016 | pm | Picometer |
| 1017 | Å | angstrom |
| 1018 | ft | Foot |
| 1019 | in | Inch |
| 1020 | yd | Yard |
| 1021 | mile | Mile |
| 1022 | nautical mile | Nautical mile |
| 1023 | m ² | Square meter |
| 1024 | km ² | Square kilometer |
| 1025 | cm ² | Square centimeter |
| 1026 | dm ² | Square decimeter |
| 1027 | mm ² | Square millimeter |
| 1028 | a | Are |
| 1029 | ha | Hectare |
| 1030 | in ² | Square inch |

PCS 7 Unit Code

| Value | Display | Description |
|-------|-------------------|------------------------------|
| 1031 | ft ² | Square foot |
| 1032 | yd ² | Square yard |
| 1033 | mile ² | Square mile |
| 1034 | m ³ | Cubic meter |
| 1035 | dm ³ | Cubic decimeter |
| 1036 | cm ³ | Cubic centimeter |
| 1037 | mm ³ | Cubic millimeter |
| 1038 | L | Liter |
| 1039 | cl | Centiliter |
| 1040 | ml | Milliliter |
| 1041 | hl | Hectoliter |
| 1042 | in ³ | Cubic inch |
| 1043 | ft ³ | Cubic foot |
| 1044 | yd ³ | Cubic yard |
| 1045 | mile ³ | Cubic mile |
| 1046 | pint | Pint |
| 1047 | quart | Quart |
| 1048 | gal | US gallon |
| 1049 | ImpGal | Imperial gallon |
| 1050 | bushel | Bushel |
| 1051 | bb1 | Barrel = 42 gallons |
| 1052 | bb1(liq) | Liquid barrel = 31.5 gallons |
| 1053 | ft ³ | Standard cubic foot |
| 1054 | s | Second |
| 1055 | ks | Kilosecond |
| 1056 | ms | Millisecond |
| 1057 | μs | Microsecond |
| 1058 | min | Minute |
| 1059 | h | Hour |
| 1060 | d | Day |
| 1061 | m/s | Meters per second |

PCS 7 Unit Code

| Value | Display | Description |
|-------|------------------|------------------------|
| 1062 | mm/s | Millimeters per second |
| 1063 | m/h | Meters per hour |
| 1064 | km/h | Kilometers per hour |
| 1065 | knot | Knot |
| 1066 | in/s | Inches per second |
| 1067 | ft/s | Feet per second |
| 1068 | yd/s | Yards per second |
| 1069 | in/min | Inches per minute |
| 1070 | ft/min | Feet per minute |
| 1071 | yd/min | Yards per minute |
| 1072 | in/h | Inches per hour |
| 1073 | ft/h | Feet per hour |
| 1074 | yd/h | Yards per hour |
| 1075 | mi/h | Miles per hour |
| 1076 | m/s ² | Meter/second squared |
| 1077 | Hz | Hertz |
| 1078 | THz | Terahertz |
| 1079 | GHz | Gigahertz |
| 1080 | MHz | Megahertz |
| 1081 | kHz | Kilohertz |
| 1082 | 1/s | Per second |
| 1083 | 1/min | Per minute |
| 1084 | rad/s | Revolutions per second |
| 1085 | r/min | Revolutions per minute |
| 1086 | rad/s | Radians per second |
| 1087 | 1/s ² | Per second squared |
| 1088 | kg | Kilogram |
| 1089 | g | Gram |
| 1090 | mg | Milligram |
| 1091 | Mg | Megagram |
| 1092 | t | Metric ton |

PCS 7 Unit Code

| Value | Display | Description |
|-------|----------------------|--------------------------------|
| 1093 | oz | Ounce |
| 1094 | lb | Pound |
| 1095 | STon | US ton (short ton) |
| 1096 | LTon | British ton (long ton) |
| 1097 | kg/m ³ | Kilograms per cubic meter |
| 1098 | Mg/dm ³ | Megagrams per cubic meter |
| 1099 | kg/dm ³ | Kilograms per cubic decimeter |
| 1100 | g/cm ³ | Grams per cubic centimeter |
| 1101 | g/m ³ | Grams per cubic meter |
| 1102 | t/m ³ | Metric tons per cubic meter |
| 1103 | kg/L | Kilogram per liter |
| 1104 | g/ml | Grams per milliliter |
| 1105 | g/L | Grams per liter |
| 1106 | lb/in ³ | Pounds per cubic inch |
| 1107 | lb/ft ³ | Pounds per cubic foot |
| 1108 | lb/gal | Pounds per US gallon |
| 1109 | STon/yd ³ | US tons per cubic yard |
| 1110 | °Twd | Degree Twaddell |
| 1111 | °Baum (hv) | Degree Baumé (heavy) |
| 1112 | °Baum (lt) | Degree Baumé (light) |
| 1113 | °API | Degrees API |
| 1114 | SGU | Specific gravity units |
| 1115 | kg/m | Kilograms per meter |
| 1116 | mg/m | Milligrams per meter |
| 1117 | tex | Tex |
| 1118 | kg·m ² | Kilograms per square meter |
| 1119 | kg·m/s | Kilograms per meter per second |
| 1120 | N | Newton |
| 1121 | MN | Meganewton |
| 1122 | kN | Kilonewton |
| 1123 | mN | Millinewton |

PCS 7 Unit Code

| Value | Display | Description |
|-------|-------------------------------------|---|
| 1124 | μN | Micronewton |
| 1125 | $\text{kg}\cdot\text{m}^2/\text{s}$ | Kilograms per square meter per second |
| 1126 | $\text{N}\cdot\text{m}$ | Newton meter |
| 1127 | $\text{MN}\cdot\text{m}$ | Meganewton meter |
| 1128 | $\text{kN}\cdot\text{m}$ | Kilonewton meter |
| 1129 | $\text{mN}\cdot\text{m}$ | Millinewton meter |
| 1130 | Pa | Pascal |
| 1131 | GPa | Gigapascal |
| 1132 | MPa | Megapascal |
| 1133 | kPa | Kilopascal |
| 1134 | mPa | Millipascal |
| 1135 | μPa | Micropascal |
| 1136 | hPa | Hectopascal |
| 1137 | bar | Bar |
| 1138 | mbar | Millibar |
| 1139 | torr | Torr |
| 1140 | atm | Atmosphere |
| 1141 | psi | Pounds per square inch |
| 1142 | psia | Pounds per square inch (absolute) |
| 1143 | psig | Pounds per square inch (gauge) |
| 1144 | g/cm^2 | Grams per square centimeter |
| 1145 | kg/cm^2 | Kilograms per square centimeter |
| 1146 | inH ₂ O | Inches of water |
| 1147 | inH ₂ O (4°C) | Inches of water at 4 degrees Celsius |
| 1148 | inH ₂ O (68°F) | Inches of water at 68 degrees Fahrenheit |
| 1149 | mmH ₂ O | Millimeters of water |
| 1150 | mmH ₂ O (4°C) | Millimeters of water at 4 degrees Celsius |

PCS 7 Unit Code

| Value | Display | Description |
|-------|---------------------------|---|
| 1151 | mmH ₂ O (68°F) | Millimeters of water at 68 degrees Fahrenheit |
| 1152 | ftH ₂ O | Feet of water |
| 1153 | ftH ₂ O (4°C) | Feet of water at 4 degrees Celsius |
| 1154 | ftH ₂ O (68°F) | Feet of water at 68 degrees Fahrenheit |
| 1155 | inHg | Inches of mercury |
| 1156 | inHg (0°C) | Inches of mercury at 0 degrees Celsius |
| 1157 | mmHg | Millimeters of mercury |
| 1158 | mmHg (0°C) | Millimeters of mercury at 0 degrees Celsius |
| 1159 | Pa·s | Pascal second |
| 1160 | m ² /s | Square meters per second |
| 1161 | P | Poise |
| 1162 | cP | Centipoise |
| 1163 | St | Stokes |
| 1164 | cSt | Centistokes |
| 1165 | N/m | Newtons per meter |
| 1166 | mN/m | Millinewtons per meter |
| 1167 | J | Joule |
| 1168 | EJ | Exajoule |
| 1169 | PJ | Petajoule |
| 1170 | TJ | Terajoule |
| 1171 | GJ | Gigajoule |
| 1172 | MJ | Megajoule |
| 1173 | kJ | Kilojoule |
| 1174 | mJ | Millijoule |
| 1175 | W·h | Watt hour |
| 1176 | TW·h | Terawatt hour |
| 1177 | GW·h | Gigawatt hour |

PCS 7 Unit Code

| Value | Display | Description |
|-------|-----------------------|----------------------------------|
| 1178 | MW·h | Megawatt hour |
| 1179 | kW·h | Kilowatt hour |
| 1180 | calth | Calorie (thermochemical) |
| 1181 | kcalth | Kilocalorie (thermochemical) |
| 1182 | Mcalth | Megacalorie (thermochemical) |
| 1183 | Btuth | British thermal unit |
| 1184 | datherm | Decatherm |
| 1185 | ft·lb | Foot pound |
| 1186 | W | Watt |
| 1187 | TW | Terawatt |
| 1188 | GW | Gigawatt |
| 1189 | MW | Megawatt |
| 1190 | kW | Kilowatt |
| 1191 | mW | Milliwatt |
| 1192 | μW | Microwatt |
| 1193 | nW | Nanowatt |
| 1194 | pW | Picowatt |
| 1195 | Mcalth/h | Megacalorie per hour |
| 1196 | MJ/h | Megajoule per hour |
| 1197 | Btuth/h | British thermal units per hour |
| 1198 | hp | Horsepower |
| 1199 | W/(m·K) | Watts per meter kelvin |
| 1200 | W/(m ² ·K) | Watts per (square meter kelvin) |
| 1201 | m ² ·K/W | Square meters kelvin per Watt |
| 1202 | J/K | Joules per kelvin |
| 1203 | kJ/K | Kilojoules per kelvin |
| 1204 | J/(kg·K) | Joules per (kilogram kelvin) |
| 1205 | kJ/(kg·K) | Kilojoules per (kilogram kelvin) |
| 1206 | J/kg | Joules per kilogram |
| 1207 | MJ/kg | Megajoules per kilogram |
| 1208 | kJ/kg | Kilojoules per kilogramm |

PCS 7 Unit Code

| Value | Display | Description |
|-------|------------------------|--------------------------------|
| 1209 | A | Ampere |
| 1210 | kA | Kiloampere |
| 1211 | mA | Milliampere |
| 1212 | μ A | Microampere |
| 1213 | nA | Nanoampere |
| 1214 | pA | Picoampere |
| 1215 | C | Coulomb |
| 1216 | MC | Megacoulomb |
| 1217 | kC | Kilocoulomb |
| 1218 | μ C | Microcoulomb |
| 1219 | nC | Nanocoulomb |
| 1220 | pC | Picocoulomb |
| 1221 | A·h | Ampere hour |
| 1222 | C/m ³ | Coulombs per cubic meter |
| 1223 | C/mm ³ | Coulombs per cubic millimeter |
| 1224 | C/cm ³ | Coulombs per cubic centimeter |
| 1225 | kC/m ³ | Kilocoulombs per cubic meter |
| 1226 | mC/m ³ | Millicoulombs per cubic meter |
| 1227 | μ C/m ³ | Microcoulombs per cubic meter |
| 1228 | C/m ² | Coulombs per square meter |
| 1229 | C/mm ² | Coulombs per square millimeter |
| 1230 | C/cm ² | Coulombs per square centimeter |
| 1231 | kC/m ² | Kilocoulombs per square meter |
| 1232 | mC/m ² | Millicoulombs per square meter |
| 1233 | μ C/m ² | Microcoulombs per square meter |
| 1234 | V/m | Volts per meter |
| 1235 | MV/m | Megavolts per meter |
| 1236 | kV/m | Kilovolts per meter |
| 1237 | V/cm | Volts per centimeter |
| 1238 | mV/m | Millivolts per meter |
| 1239 | μ V/m | Microvolts per meter |

PCS 7 Unit Code

| Value | Display | Description |
|-------|-------------------|-------------------------------|
| 1240 | V | Volt |
| 1241 | MV | Megavolt |
| 1242 | KV | Kilovolt |
| 1243 | mV | Millivolt |
| 1244 | μ V | Microvolt |
| 1245 | F | Farad |
| 1246 | mF | Millifarad |
| 1247 | μ F | Microfarad |
| 1248 | nF | Nanofarad |
| 1249 | pF | Picofarad |
| 1250 | F/m | Farad per meter |
| 1251 | μ F/m | Microfarad per meter |
| 1252 | nF/m | Nanofarad per meter |
| 1253 | pF/m | Picofarad per meter |
| 1254 | C·m | Coulomb meter |
| 1255 | A/m ² | Amperes per square meter |
| 1256 | MA/m ² | Megaamperes per square meter |
| 1257 | A/cm ² | Amperes per square centimeter |
| 1258 | kA/m ² | Kiloamperes per square meter |
| 1259 | A/m | Amperes per meter |
| 1260 | kA/m | Kiloamperes per meter |
| 1261 | A/cm | Amperes per centimeter |
| 1262 | T | Tesla |
| 1263 | mT | Millitesla |
| 1264 | μ T | Microtesla |
| 1265 | nT | Nanotesla |
| 1266 | Wb | Weber |
| 1267 | mWb | Milliweber |
| 1268 | Wb/m | Webers per meter |
| 1269 | kWb/m | Kilowebers per meter |
| 1270 | H | Henry |

PCS 7 Unit Code

| Value | Display | Description |
|-------|---------------------|---------------------------------|
| 1271 | mH | Millihenry |
| 1272 | μ H | Microhenry |
| 1273 | nH | Nanohenry |
| 1274 | pH | Picohenry |
| 1275 | H/m | Henries per meter |
| 1276 | μ H/m | Microhenries per meter |
| 1277 | nH/m | Nanohenries per meter |
| 1278 | A·m ² | Ampere square meters |
| 1279 | N·m ² /A | Newton meter squared per ampere |
| 1280 | Wb·m | Weber meter |
| 1281 | Ω | Ohm |
| 1282 | G Ω | Gigaohm |
| 1283 | M Ω | Megaohm |
| 1284 | k Ω | Kiloohm |
| 1285 | m Ω | Milliohm |
| 1286 | μ Ω | Microohm |
| 1287 | S | Siemens |
| 1288 | kS | Kilosiemens |
| 1289 | mS | Millisiemens |
| 1290 | μ S | Microsiemens |
| 1291 | Ω ·m | Ohm meter |
| 1292 | G Ω ·m | Gigaohm meter |
| 1293 | M Ω ·m | Megaohm meter |
| 1294 | k Ω ·m | Kiloohm meter |
| 1295 | Ω ·cm | Ohm centimeter |
| 1296 | m Ω ·m | Milliohm meter |
| 1297 | μ Ω ·m | Microohm meter |
| 1298 | n Ω ·m | Nanoohm meter |
| 1299 | S/m | Siemens per meter |
| 1300 | MS/m | Megasiemens per meter |
| 1301 | kS/m | Kilosiemens per meter |

PCS 7 Unit Code

| Value | Display | Description |
|-------|------------------------|------------------------------------|
| 1302 | mS/cm | Millisiemens per centimeter |
| 1303 | μ S/mm | Microsiemens per millimeter |
| 1304 | 1/H | Per henry |
| 1305 | sr | Steradian |
| 1306 | W/sr | Watts per steradian |
| 1307 | W/(sr·m ²) | Watts per (steradian square meter) |
| 1308 | W/(m ²) | Watts per square meter |
| 1309 | lm | Lumen |
| 1310 | lm·s | Lumen second |
| 1311 | lm·h | Lumen hour |
| 1312 | lm/m ² | Lumens per square meter |
| 1313 | lm/W | Lumens per watt |
| 1314 | lx | Lux |
| 1315 | lx·s | Lux second |
| 1316 | cd | Candela |
| 1317 | cd/m ² | Candela per square meter |
| 1318 | g/s | Grams per second |
| 1319 | g/min | Grams per minute |
| 1320 | g/h | Grams per hour |
| 1321 | g/d | Grams per day |
| 1322 | kg/s | Kilograms per second |
| 1323 | kg/min | Kilograms per minute |
| 1324 | kg/h | Kilograms per hour |
| 1325 | kg/d | Kilograms per day |
| 1326 | t/s | Metric tons per second |
| 1327 | t/min | Metric tons per minute |
| 1328 | t/h | Metric tons per hour |
| 1329 | t/d | Metric tons per day |
| 1330 | lb/s | Pounds per second |
| 1331 | lb/min | Pounds per minute |
| 1332 | lb/h | Pounds per hour |

PCS 7 Unit Code

| Value | Display | Description |
|-------|--------------------------|-----------------------------------|
| 1333 | lb/d | Pounds per day |
| 1334 | STon/s | US tons per second |
| 1335 | STon/min | US tons per minute |
| 1336 | STon/h | US tons per hour |
| 1337 | STon/d | US tons per day |
| 1338 | LTON/s | British tons per second |
| 1339 | LTON/min | British tons per minute |
| 1340 | LTON/h | British tons per hour |
| 1341 | LTON/d | British tons per day |
| 1342 | % | Percent |
| 1343 | % sol/wt | Percentage solids per weight unit |
| 1344 | % sol/vol | Percentage solids per volume unit |
| 1345 | % stm qual | Percentage steam quality |
| 1346 | °Plato | Degree plato |
| 1347 | m ³ /s | Cubic meters per second |
| 1348 | m ³ /min | Cubic meters per minute |
| 1349 | m ³ /h | Cubic meters per hour |
| 1350 | m ³ /d | Cubic meters per day |
| 1351 | L/s | Liters per second |
| 1352 | L/min | Liters per minute |
| 1353 | L/h | Liters per hour |
| 1354 | L/d | Liters per day |
| 1355 | ML/d | Megaliters per day |
| 1356 | ft ³ /s | Cubic feet per second |
| 1357 | ft ³ /m | Cubic feet per minute |
| 1358 | ft ³ /h | Cubic feet per hour |
| 1359 | ft ³ /d | Cubic feet per day |
| 1360 | ft ³ /min std | Standard cubic feet per minute |
| 1361 | ft ³ /h std | Standard cubic feet per hour |
| 1362 | gal/s | US gallons per second |

PCS 7 Unit Code

| Value | Display | Description |
|-------|----------------------|--------------------------------|
| 1363 | gal/min | US gallons per minute |
| 1364 | gal/h | US gallons per hour |
| 1365 | gal/d | US gallons per day |
| 1366 | Mgal/d | Mega US gallons per day |
| 1367 | ImpGal/s | Imperial gallons per second |
| 1368 | ImpGal/min | Imperial gallons per minute |
| 1369 | ImpGal/h | Imperial gallons per hour |
| 1370 | ImpGal/d | Imperial gallons per day |
| 1371 | bbl/s | Barrels per second |
| 1372 | bbl/min | Barrels per minute |
| 1373 | bbl/h | Barrels per hour |
| 1374 | bbl/d | Barrels per day |
| 1375 | W/m ² | Watts per square meter |
| 1376 | mW/m ² | Milliwatts per square meter |
| 1377 | μW/m ² | Microwatts per square meter |
| 1378 | pW/m ² | Picowatts per square meter |
| 1379 | Pa·s/m ³ | Pascal seconds per cubic meter |
| 1380 | N·s/m | Newton seconds per meter |
| 1381 | Pa·s/m | Pascal seconds per meter |
| 1382 | B | Bel |
| 1383 | dB | Decibel |
| 1384 | mol | Mole |
| 1385 | kmol | Kilomole |
| 1386 | mmol | Millimole |
| 1387 | μmol | Micromole |
| 1388 | kg/mol | Kilograms per mole |
| 1389 | g/mol | Grams per mole |
| 1390 | m ³ /mol | Cubic meters per mole |
| 1391 | dm ³ /mol | Cubic decimeters per mole |
| 1392 | cm ³ /mol | Cubic centimeters per mole |
| 1393 | L/mol | Liters per mole |

PCS 7 Unit Code

| Value | Display | Description |
|-------|---------------------|-----------------------------|
| 1394 | J/mol | Joules per mole |
| 1395 | kJ/mol | Kilojoules per mole |
| 1396 | J/(mol·K) | Joules per mole kelvin |
| 1397 | mol/m ³ | Moles per cubic meter |
| 1398 | mol/dm ³ | Moles per cubic decimeter |
| 1399 | mol/L | Moles per liter |
| 1400 | mol/kg | Moles per kilogram |
| 1401 | mmol/kg | Millimoles per kilogram |
| 1402 | Bq | Becquerel |
| 1403 | MBq | Megabecquerel |
| 1404 | kBq | Kilobecquerel |
| 1405 | Bq/kg | Becquerels per kilogram |
| 1406 | kBq/kg | Kilobecquerels per kilogram |
| 1407 | MBq/kg | Megabecquerels per kilogram |
| 1408 | Gy | Gray |
| 1409 | mGy | Milligray |
| 1410 | rd | Rad |
| 1411 | Sv | Sievert |
| 1412 | mSv | Millisievert |
| 1413 | rem | Rem |
| 1414 | C/kg | Coulombs per kilogram |
| 1415 | mC/kg | Millicoulombs per kilogram |
| 1416 | R | Röntgen |
| 1417 | 1/Jm ³ | Density of magnetic energy |
| 1418 | e/Vm ³ | |
| 1419 | m ³ /C | Cubic meters per coulomb |
| 1420 | V/K | Volts per kelvin |
| 1421 | mV/K | Millivolts per kelvin |
| 1422 | pH | pH value |
| 1423 | ppm | Parts per million |
| 1424 | ppb | Parts per billion |

PCS 7 Unit Code

| Value | Display | Description |
|-------|------------|----------------------------------|
| 1425 | ppth | Parts per trillion |
| 1426 | °Brix | Degrees Brix |
| 1427 | °Ball | Degrees Balling |
| 1428 | proof/vol | Proof per volume |
| 1429 | proof/mass | Proof per mass |
| 1430 | lb/ImpGal | Pounds per Imperial gallon |
| 1431 | kcalth/s | Kilocalories per second |
| 1432 | kcalth/min | Kilocalories per minute |
| 1433 | kcalth/h | Kilocalories per hour |
| 1434 | kcalth/d | Kilocalories per day |
| 1435 | Mcalth/s | Megacalorie per second |
| 1436 | Mcalth/min | Megacalories per minute |
| 1437 | Mcalth/d | Megacalories per day |
| 1438 | kJ/s | Kilojoules per second |
| 1439 | kJ/min | Kilojoules per minute |
| 1440 | kJ/h | Kilojoule per hour |
| 1441 | kJ/d | Kilojoules per day |
| 1442 | MJ/s | Megajoules per second |
| 1443 | MJ/min | Megajoules per minute |
| 1444 | MJ/d | Megajoules per day |
| 1445 | Btuth/s | British thermal units per second |
| 1446 | Btuth/min | British thermal units per minute |
| 1447 | Btuth/d | British thermal units per day |
| 1448 | μgal/s | Micro US gallons per second |
| 1449 | mgal/s | Milli US gallons per second |
| 1450 | kgal/s | Kilo US gallons per second |
| 1451 | Mgal/s | Mega US gallons per second |
| 1452 | μgal/min | Micro US gallons per minute |
| 1453 | mgal/min | Milli US gallons per minute |
| 1454 | kgal/min | Kilo US gallons per minute |
| 1455 | Mgal/min | Mega US gallons per minute |

PCS 7 Unit Code

| Value | Display | Description |
|-------|------------------|-----------------------------------|
| 1456 | μ gal/h | Micro US gallons per hour |
| 1457 | mgal/h | Milli US gallons per hour |
| 1458 | kgal/h | Kilo US gallons per hour |
| 1459 | Mgal/h | Mega US gallons per hour |
| 1460 | μ gal/d | Micro US gallons per day |
| 1461 | mgal/d | Milli US gallons per day |
| 1462 | kgal/d | Kilo US gallons per day |
| 1463 | μ ImpGal/s | Micro Imperial gallons per second |
| 1464 | mImpGal/s | Milli Imperial gallons per second |
| 1465 | kImpGal/s | Kilo Imperial gallons per second |
| 1466 | MImpGal/s | Mega Imperial gallons per second |
| 1467 | μ ImpGal/min | Micro Imperial gallons per minute |
| 1468 | mImpGal/min | Milli Imperial gallons per minute |
| 1469 | kImpGal/min | Kilo Imperial gallons per minute |
| 1470 | MImpGal/min | Mega Imperial gallons per minute |
| 1471 | μ ImpGal/h | Micro Imperial gallons per hour |
| 1472 | mImpGal/h | Milli Imperial gallons per hour |
| 1473 | kImpGal/h | Kilo Imperial gallons per hour |
| 1474 | MImpGal/h | Mega Imperial gallons per hour |
| 1475 | μ Impgal/d | Micro Imperial gallons per day |
| 1476 | mImpgal/d | Milli Imperial gallons per day |
| 1477 | kImpgal/d | Kilo Imperial gallons per day |
| 1478 | MImpgal/d | Mega Imperial gallons per day |
| 1479 | μ bbl/s | Microbarrels per second |
| 1480 | mbbl/s | Millibarrels per second |
| 1481 | kbbl/s | Kilobarrels per second |
| 1482 | Mbbbl/s | Megabarrels per second |
| 1483 | μ bbl/min | Microbarrels per minute |
| 1484 | mbbl/min | Millibarrels per minute |

PCS 7 Unit Code

| Value | Display | Description |
|-------|---------------------------|------------------------------|
| 1485 | kbbbl/min | Kilobarrels per minute |
| 1486 | Mbbbl/min | Megabarrels per minute |
| 1487 | μ bbbl/h | Microbarrels per hour |
| 1488 | mbbl/h | Millibarrels per hour |
| 1489 | kbbbl/h | Kilobarrels per hour |
| 1490 | Mbbbl/h | Megabarrels per hour |
| 1491 | μ bbbl/d | Microbarrels per day |
| 1492 | mbbl/d | Millibarrels per day |
| 1493 | kbbbl/d | Kilobarrels per day |
| 1494 | Mbbbl/d | Megabarrels per day |
| 1495 | μ m ³ /s | Cubic micrometers per second |
| 1496 | mm ³ /s | Cubic millimeters per second |
| 1497 | km ³ /s | Cubic kilometers per second |
| 1498 | Mm ³ /s | Cubic megameters per second |
| 1499 | μ m ³ /min | Cubic micrometers per minute |
| 1500 | mm ³ /min | Cubic millimeters per minute |
| 1501 | km ³ /min | Cubic kilometers per minute |
| 1502 | mm ³ /min | Cubic megameters per minute |
| 1503 | μ m ³ /h | Cubic micrometers per minute |
| 1504 | mm ³ /h | Cubic millimeters per minute |
| 1505 | km ³ /h | Cubic kilometers per minute |
| 1506 | Mm ³ /h | Cubic megameters per minute |
| 1507 | μ m ³ /d | Cubic micrometers per day |
| 1508 | mm ³ /d | Cubic millimeters per day |
| 1509 | km ³ /d | Cubic kilometers per day |
| 1510 | Mm ³ /d | Cubic megameters per day |
| 1511 | cm ³ /s | Cubic centimeters per second |
| 1512 | cm ³ /min | Cubic centimeters per minute |
| 1513 | cm ³ /h | Cubic centimeters per hour |
| 1514 | cm ³ /d | Cubic centimeters per day |
| 1515 | kcalth/kg | Kilocalories per kilogram |

PCS 7 Unit Code

| Value | Display | Description |
|-------|----------------------------------|--|
| 1516 | Btuth/lb | British thermal units per pound |
| 1517 | kl | Kiloliter |
| 1518 | kl/min | Kiloliters per minute |
| 1519 | kl/h | Kiloliters per hour |
| 1520 | kl/d | Kiloliters per day |
| 1551 | S/cm | Siemens per centimeter |
| 1552 | $\mu\text{S/cm}$ | Microsiemens per centimeter |
| 1553 | mS/m | Millisiemens per meter |
| 1554 | $\mu\text{S/m}$ | Microsiemens per meter |
| 1555 | $\text{M}\Omega \cdot \text{cm}$ | Megaohm centimeter |
| 1556 | $\text{k}\Omega \cdot \text{cm}$ | Kiloohm centimeter |
| 1557 | Weight% | Weight percent |
| 1558 | mg/L | Milligram per liter |
| 1559 | $\mu\text{g/L}$ | Microgram per liter |
| 1560 | %Sat | - |
| 1561 | vpm | - |
| 1562 | %vol | Volume percent |
| 1563 | ml/min | Milliliters per minute |
| 1564 | mg/dm ³ | Milligrams per cubic centimeter |
| 1565 | mg/L | Milligram per liter |
| 1566 | mg/m ³ | Milligrams per cubic meter |
| 1567 | ct | Carat (jewels) = $200.0 \cdot 10^{-6}$ kg |
| 1568 | lb (tr) | Pound (troy or apothecary) = 0.3732417216 kg |
| 1569 | oz (tr) | Ounce (troy or apothecary) = 1/12 lb (tr) |
| 1570 | fl oz (U.S.) | Ounce (U.S. fluid) = (1/128) gal |
| 1571 | cm ³ | Cubic centimeter = 10^{-6} m ³ |
| 1572 | af | acre foot = 43560 ft ³ |
| 1573 | m ³ normal | Cubic meter |
| 1574 | L normal | Liter |
| 1575 | m ³ std. | Standard cubic meter |

PCS 7 Unit Code

| Value | Display | Description |
|-------|----------------------------|----------------------------------|
| 1576 | L std. | Standard liter |
| 1577 | ml/s | Milliliters per second |
| 1578 | ml/h | Milliliters per hour |
| 1579 | ml/d | Milliliters per day |
| 1580 | af/s | Acre foot per second |
| 1581 | af/min | Acre foot per minute |
| 1582 | af/h | Acre foot per hour |
| 1583 | af/d | Acre foot per day |
| 1584 | fl oz (U.S.)/s | Ounces per second |
| 1585 | fl oz (U.S.) /min | Ounces per minute |
| 1586 | fl oz (U.S.)/h | Ounces per hour |
| 1587 | fl oz (U.S.)/d | Ounces per day |
| 1588 | m ³ /s normal | Standard cubic meters per second |
| 1589 | m ³ /min normal | Standard cubic meters per minute |
| 1590 | m ³ /h normal | Standard cubic meters per hour |
| 1591 | m ³ /d normal | Standard cubic meters per day |
| 1592 | L/s normal | Standard liters per second |
| 1593 | L/min normal | Standard liters per minute |
| 1594 | L/h normal | Standard liters per hour |
| 1595 | L/d normal | Standard liters per second |
| 1596 | m ³ /s std. | Standard cubic meters per second |
| 1597 | m ³ /min std. | Standard cubic meters per minute |
| 1598 | m ³ /h std. | Standard cubic meters per hour |
| 1599 | m ³ /d std. | Standard cubic meters per day |
| 1600 | L/s std. | Standard liters per second |
| 1601 | L/min std. | Standard liters per minute |
| 1602 | L/h std. | Standard liters per hour |
| 1603 | L/d std. | Standard liters per day |
| 1604 | ft ³ /s std. | Standard cubic feet per second |

PCS 7 Unit Code

| Value | Display | Description |
|-------|-------------------------|---------------------------------------|
| 1605 | ft ³ /d std. | Standard cubic feet per day |
| 1606 | oz/s | Ounces per second |
| 1607 | oz/min | Ounces per minute |
| 1608 | oz/h | Ounces per hour |
| 1609 | oz/d | Ounces per day |
| 1610 | Paa | Pascal (absolute) |
| 1611 | Pag | Pascal (gauge) |
| 1612 | GPaa | Gigapascal (absolute) |
| 1613 | GPag | Gigapascal (gauge) |
| 1614 | MPaa | Megapascal (absolute) |
| 1615 | MPag | Megapascal (gauge) |
| 1616 | kPaa | Kilopascal (absolute) |
| 1617 | kPag | Kilopascal (gauge) |
| 1618 | mPaa | Millipascal (absolute) |
| 1619 | mPag | Millipascal (gauge) |
| 1620 | μPaa | Micropascal (absolute) |
| 1621 | μPag | Micropascal (gauge) |
| 1622 | hPaa | Hectopascal (absolute) |
| 1623 | hPag | Hectopascal (gauge) |
| 1624 | gf/cm ² a | |
| 1625 | gf/cm ² g | |
| 1626 | kgf/cm ² a | |
| 1627 | kgf/cm ² g | |
| 1628 | SD4°C | Standard density at 4°C |
| 1629 | SD15°C | Standard density at 15°C |
| 1630 | SD20°C | Standard density at 20°C |
| 1631 | PS | Metric horsepower |
| 1632 | ppt | Parts per trillion = 10 ¹² |
| 1633 | hl/s | Hectoliters per second |
| 1634 | hl/min | Hectoliters per minute |
| 1635 | hl/h | Hectoliters per hour |

PCS 7 Unit Code

| Value | Display | Description |
|-------|-----------------|--|
| 1636 | hl/d | Hectoliters per day |
| 1637 | bbl (liq)/s | Barrels (US liquid) per second |
| 1638 | bbl (liq)/min x | Barrels (US liquid) per minute |
| 1639 | bbl (liq)/h | Barrels (US liquid) per hour |
| 1640 | bbl (liq)/d | Barrels (US liquid) per day |
| 1641 | bbl (fed) | Barrel (U.S. federal) = 31 gallons |
| 1642 | bbl (fed)/s | Barrels (US federal) per second |
| 1643 | bbl (fed)/min | Barrels (US federal) per minute |
| 1644 | bbl (fed)/h | Barrels (US federal) per hour |
| 1645 | bbl (fed)/d | Barrels (US federal) per day |
| 1998 | Unknown unit | Use in configuration when the unit of measure is not known |
| 1999 | Special | Special units |

ارائه شده توسط وب سایت همیار اتوماسیون صنعتی

<https://plc4u.ir>